



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

PRIYA CORPORATION

12/9/2008

Andy's

7605 W Good Hope Rd
Milwaukee, WI

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Code Number	Description of Violation	Correct By
3-101.11	There are several gallons, pints, and quarts of milk in the display coolers that are expired. Expired milk may not be displayed for sale or sold. Remove all expired milk immediately.	12/9/2008
3-302.11	Shelled eggs are stored above oranges and prepackaged cakes. All raw products must be stored below any ready to eat food. Store the eggs on the lowest shelf in the reach in cooler.	12/9/2008
3-304.14	Dirty wiping cloths are stored on the counter in the customer area. Store wiping cloths in a sanitizing solution between use or place in a designated location for laundering that is away from the customer area, food contact areas, or food storage areas.	12/9/2008
	No sanitizer bucket is setup for wiping down surfaces. Have a sanitizer bucket available at all times for wiping surfaces. Provide test strips for testing the sanitizer strength and ensure that the correct concentration is available at all times.	
3-602.11	The ice bags that are bagged on site are not properly labeled. Provide labels for the ice bags indicating name, address, and contact information. All bagged ice must be labeled at all times.	12/9/2008



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

4-601.11 The soda nozzles on the soda dispenser in the customer area are dirty. The 12/9/2008
soda nozzles must be cleaned as often as necessary to prevent the buildup
of old soda syrup and debris. Clean and maintain clean the soda nozzles.

Notes:

Repair the women's restroom door so that it may lock.

On 12/9/2008, I served these orders upon PRIYA CORPORATION by leaving this report with

Inspector Signature (Inspector ID:66)

Operator Signature